

APPLICATION GUIDE

PRIOR TO STARTING

Shake the Cerakote Professional Ceramic Paint Coating bottle for thirty seconds. Plan how you will coat the entire vehicle one panel at a time (e.g., door, hood, trunk lid). Have a timer available for the curing process. Several high-quality microfiber towels will be needed for hand buffing.



PHOTOGRAPH YOUR PROJECT!

Take a "before" photo of your vehicle's paint.

PREPARING THE PAINTED SURFACE

Application must be done out of direct sunlight and in a clean environment.

Wash the vehicle and perform any necessary paint correction to remove defects including swirl marks, water spots, scratches and contaminants. Cerakote Professional Ceramic Paint Coating is extremely durable, long lasting, and will seal in any imperfections that are not removed during the preparation process.

Remove any paint or polish correction residues by wiping all painted surfaces with a cleanser - isopropyl alcohol will work well for this step.


PROFESSIONAL CERAMIC PAINT APPLICATION



WATCH FULL APPLICATION VIDEO HERE!

- While wearing chemical-resistant gloves, apply a liberal amount of coating to a high-quality microfiber/suede application block or pad.
- Using a cross-hatch pattern, wipe the coating on the surface from top to bottom and then side to side, ensuring that all areas are coated.
- Add additional coating to the applicator as needed to ensure the surface stays wet. When the applicator does not glide across the surface smoothly, more coating is needed.
- Allow the coating to cure for five minutes. During the curing process, you will notice that the coating will start to bead up or sweat. This is normal.

Using a clean, high-quality microfiber towel, lightly hand buff the surface using small circular motions. The surface will become extremely slick and glossy during this process.



Let the coating fully cure for two hours before driving and wait at least one day before exposing it to water.

LONG TERM

Cerakote is extremely durable, long lasting, and can be hand washed with any high-quality automotive soap.

While Cerakote Professional Ceramic Paint Coating does not require a maintenance topcoat, the optional use of Cerakote Rapid Ceramic Paint Sealant will provide an added level of gloss and slickness.



PHOTOGRAPH YOUR PROJECT: Take an "after" photo of your vehicle's paint.



MEET THE FAMILY OF CERAKOTE PRODUCTS



Professional Res

Quick & Easy to As

CERAKU

RAPID CERAMIC PAINT SEALAN PROTECTIVE COATING NATIONIN GLOSS & SHINE **3 EASY STEPS**

Cerakote offers a wide variety of the best-selling ceramic coatings available on the market for your vehicle. Take your vehicle's paint, headlight, windshield, and trim to the next level with our proprietary ceramic technology. See and feel the difference! Buy today at cerakoteceramics.com.



